

Notice of Allowability

Application No.

09/852,352

Examiner

Chuck Kendall

Applicant(s)

ALFORD ET AL.

Art Unit

2122

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 09/16/2004.
2. ☒ The allowed claim(s) is/are 2 - 4, 6 - 10, 12 - 16, 18 - 22, & 24 - 29 now renumbered as 1 - 23.
3. ☒ The drawings filed on 08 May 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |


TUAN DAM
SUPERVISORY PATENT EXAMINER

Reasons for Allowance

1. Examiner has considered Applicant's response dated 09/16/2004 and after further review of Applicant's amendment and comments, claims 2 – 4, 6 – 10, 12 – 16, 18 – 22, & 24 – 29 are in condition for allowance.

The following is an Examiner's statement of reasons for allowance, as Applicant pointed out under remarks section on page 7, of Applicant's response dated 09/16/2004.

The prior art of record does not teach or fairly suggest at least:

“...transmitting a copy of the intercepted thread control message to a diagnostic tool of a third PTE;

generating a diagnostic message....based in part on the copy of the intercepted thread control message”, as best illustrated by figure 7 and 11, and in such a manner as recited in independent claims 9, 15, 21 and as pointed out in page 7, 5th paragraph of Applicant's response.

“...router operable to receive the thread control message from the first PTE and to route the received thread control message to both a second PTE comprising a second thread and a third PTE comprising a diagnostic tool, the second PTE operable to initiate execution of the second thread in response to receiving the thread control message.”, as best illustrated by figure 7 and 11, and in such a manner as recited in independent claim 27 and as pointed out in page 7, 4th paragraph of Applicant's response.

Art Unit: 2122

Therefore, all claims, i.e. claims 2 – 4, 6 – 10, 12 – 16, 18 – 22, & 24 – 29 are in condition for allowance. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence Information

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chuck Kendall whose telephone number is 571-2723698. The examiner can normally be reached on 10:00 am - 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Dam can be reached on 571-2723695. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



TUAN DAM
SUPERVISORY PATENT EXAMINER

CK.